

Package ‘ourPkg’

December 5, 2017

Title Our Package Title
Version 0.0.0.9000
Description Our package description.
Depends R (>= 3.2.5)
License GPL
Encoding UTF-8
LazyData true
Suggests roxygen2
RoxygenNote 6.0.1

R topics documented:

herFun-deprecated	1
herNewFun	2
hisFun-deprecated	2
hisNewFun	3
myFun-deprecated	3
myNewFun	4
ourPkg	4
ourPkg-deprecated	4
yourFun	5
Index	6

herFun-deprecated *Her function.*

Description

Her function.

Usage

herFun(arg1, arg2)

Arguments

arg1 Her first argument.
arg2 Her second argument.

Value

Her return value.

See Also

[ourPkg-deprecated](#)

herNewFun *Her new function.*

Description

Her new function.

Usage

```
herNewFun(arg1, arg2)
```

Arguments

arg1 Her new first argument.
arg2 Her new second argument.

Value

Her new return value.

hisFun-deprecated *His function.*

Description

His function.

Usage

```
hisFun(arg1, arg2)
```

Arguments

arg1 His first argument.
arg2 His second argument.

Value

His return value.

See Also

[ourPkg-deprecated](#)

hisNewFun	<i>His new function.</i>
-----------	--------------------------

Description

His new function.

Usage

```
hisNewFun(arg1, arg2)
```

Arguments

arg1	His new first argument.
arg2	His new second argument.

Value

His new return value.

myFun-deprecated	<i>My function.</i>
------------------	---------------------

Description

My function.

Usage

```
myFun(arg1, arg2)
```

Arguments

arg1	My first argument.
arg2	My second argument.

Value

My return value.

See Also

[ourPkg-deprecated](#)

myNewFun	<i>My new function.</i>
----------	-------------------------

Description

My new function.

Usage

```
myNewFun(arg1, arg2)
```

Arguments

arg1	My new first argument.
arg2	My new second argument.

Value

My new return value.

ourPkg	<i>ourPkg.</i>
--------	----------------

Description

ourPkg.

ourPkg-deprecated	<i>Deprecated functions in package ourPkg.</i>
-------------------	---

Description

The functions listed below are deprecated and will be defunct in the near future. When possible, alternative functions with similar functionality are also mentioned. Help pages for deprecated functions are available at `help("<function>-deprecated")`.

Usage

```
herFun(arg1, arg2)
```

```
hisFun(arg1, arg2)
```

```
myFun(arg1, arg2)
```

herFun

For herFun, use [herNewFun](#).

yourFun

5

hisFun

For hisFun, use [hisNewFun](#).

myFun

For myFun, use [myNewFun](#).

yourFun

Your function.

Description

Your function.

Usage

`yourFun(arg1, arg2)`

Arguments

`arg1` Your first argument.

`arg2` Your second argument.

Value

Your return value.

Index

*Topic **internal**

- herFun-deprecated, [1](#)
- hisFun-deprecated, [2](#)
- myFun-deprecated, [3](#)
- ourPkg-deprecated, [4](#)

- herFun (ourPkg-deprecated), [4](#)
- herFun-deprecated, [1](#)
- herNewFun, [2](#), [4](#)
- hisFun (ourPkg-deprecated), [4](#)
- hisFun-deprecated, [2](#)
- hisNewFun, [3](#), [5](#)

- myFun (ourPkg-deprecated), [4](#)
- myFun-deprecated, [3](#)
- myNewFun, [4](#), [5](#)

- ourPkg, [4](#)
- ourPkg-deprecated, [4](#)
- ourPkg-package (ourPkg), [4](#)

- yourFun, [5](#)